Dustpan Broom with Angled Thread, 250 mm, Medium, Blue







A very effective, lightweight broom that can be used for sweeping both dry and wet debris. The brush pattern is designed using 2 filament diameters.

The outer row of filaments is softer than the middle row, which gives a very effective sweeping quality. The filaments under the scraping edge are angled to facilitate sweeping close to walls and corners as well as under workbenches etc. An effective scraping edge has been implemented in the design to enable loosening stubborn debris from the surface.

Technical Data

Tare total 0.0278 kg Gross Weight 0.17 kg Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature (Min. pH-value in usage concentration 2 pH	Item Number	31033
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation ICFR 21 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Phthalates and bisphenol A intentionally added No Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity Box Quantity Per Pallet (80 x 120 x 180-200 cm) 70 Pcs Quantity Per Layer (Pallet) 70 Pcs Quantity	Bristle stiffness	Medium
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21 Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Tool Pcs Length Width 30 mm Height Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Quantity ender Pallet (Dishwasher) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max. drying temperature Max. drying temperature Min. pH-value in usage concentration 2 pH	Visible bristle length	58 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Complies with Alail and Kosher Pesson Quantity Per Layer (Pallet) Length Width 10 Pcs. Quantity Per Layer (Pallet) 10 Pcs. Quantity Per Layer (Pallet) 10 Pcs. Quantity Per Layer (Pallet) 10 Pcs. Quantity Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Coulor metre 10 0.0078 kg Gross Weight Cubic metre 10 0.009 M3 Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21 Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added No Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width 10 mm Net Weight No Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. pH-value in usage concentration Pes Complies with UK 2019 No. 704 on 500 Contact Max value and provided in the provided in the perature of the contact of	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length Width 30 mm Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Countity Processor (Pallet) Countity Europessor (Pal	Complies with FDA RegulationI CFR 21	Yes
Complies with California Proposition 65 Complies with Halal and Kosher Phthalates and bisphenol A intentionally added Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Cuantity Per Layer (Pallet) Cuantity Per Layer (Pallet) Pes. Length Weight 120 mm Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.0078 kg Gross Weight 0.17 kg Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (no food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Phthalates and bisphenol A intentionally added Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 250 mm Width 30 mm Height 120 mm Net Weight 4120 mm Net Weight 4120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 70.02 kg Gross Weight 70.17 kg Cubic metre 70.0009 M3 Recommended sterilisation temperature (Autoclave) 70.0009 M3 Recommended sterilisation temper	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Phthalates and bisphenol A intentionally added Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) Cength Width 30 mm Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Quibic metre Qu	Complies with California Proposition 65	Yes
Design Registration No. EU 008554125-0001, UK 6139371 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 250 mm Width 30 mm Height 120 mm Net Weight 40 Pcs. Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 70 Pcs. Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. usage concentration EU 008554125-0001, UK 6139371 10 Pcs. EU 008564125-0001, UK 6139371 10 Pcs. 10 Pcs. 11 Pcs. 12 Pcs. 12 Pcs. 13 Pcs. 14 Pcs. 15 Pcs. 16 Pcs. 16 Pcs. 17 Pcs. 18 Pc	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs.	Phthalates and bisphenol A intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)70 Pcs.Length250 mmWidth30 mmHeight120 mmNet Weight0.146 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0278 kgGross Weight0.17 kgCubic metre0.0009 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Design Registration No.	•
Quantity Per Layer (Pallet)70 Pcs.Length250 mmWidth30 mmHeight120 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.046 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0278 kgGross Weight0.17 kgCubic metre0.0009 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Length250 mmWidth30 mmHeight120 mmNet Weight0.146 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0278 kgGross Weight0.17 kgCubic metre0.0009 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs
Width 30 mm Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0278 kg Gross Weight 0.17 kg Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	70 Pcs.
Height120 mmNet Weight0.146 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0278 kgGross Weight0.17 kgCubic metre0.0009 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	250 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Width	30 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Min. pH-value in usage concentration	Height	120 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.146 kg
Tare total 0.0278 kg Gross Weight 0.17 kg Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH		0.0078 kg
Gross Weight Cubic metre 0.0009 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre0.0009 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0278 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 95 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Gross Weight	0.17 kg
Max. cleaning temperature (Dishwasher)95 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.0009 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	95 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705022028012
GTIN-14 Number (Box quantity)	15705028028068
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.